




Lady

Cable Jetting Machine

Made in Italy



Jetting machine for FTTH application


Cables from $\varnothing 1.2$ mm up to $\varnothing 10$ mm and ducts from $\varnothing 5$ mm up to $\varnothing 16$ mm

LADY JETTING MACHINE

TECHNICAL DATA

Max blowing speed	>80 m/min	Dimensions	235 x 180 x 127 mm
Cable diameters	ø 1.2 to 10 mm	Dimensions (with case)	475 x 415 x 245 mm
Duct diameters	ø 5 to 16 mm	Weight	6 Kg
Max air pressure	16 bar	Weight (with accessorized case)	13,8 Kg
Pushing force	up to 150 N	USB port	Yes
Case	Rugged waterproof case	Max tested jetting distance ¹	1000 m

1. Testing conducted by FIBERNET using real circuits. Distance will vary based on conditions: circuit, curves number, duct type and use.



ACCESSORIES INCLUDED

* Duct adapter set (customer choice 1 pc between)	ø 5 - 7 - 8 - 10 - 12 - 14 - 16 mm
** Cable adapter set (customer choice 1 pc between)	ø 1÷2 - 2÷3 - 3÷4 - 4÷5 - 5÷6 - 6÷9 - 9÷10 mm
Hex wrenches	ø 3 - 8 mm
Micro duct cutter	duct range ø 0 - 25 mm (1 pc)
Air hose	10 m / 16 bar with quick coupling connector (1 pc)
Lubricant	1 L bottle (1 pc)

* **DUCT ADAPTER SET** includes: Specific duct gaskets (10 pcs)


** **CABLE ADAPTER SET** includes: Specific cable gaskets set (5 pcs per measure) and cable entry guide

Example: duct adapter ø 7 mm - duct gasket ø 7 mm - cable adapter ø 3÷4 mm - cable gasket ø 3 - 3,5 - 4 mm (5 per measure) cable entry guide ø 3÷4 mm

ELECTRIC DRIVER & MOTOR


TECHNICAL DATA

Rugged waterproof case	410 x 340 x 205 mm
Weight	12 kg
Rated torque	2,8 Nm
Rated power	250 W
Rated current	6,8 A
Battery li-ion	36 V - 15 A
Power supply	36 V - 2,5 A
Pushlock emergency button	Yes
Torque limiter	Yes



ACCESSORIES INCLUDED

WITH LADY JETTING MACHINE



Duct adapter set (1 pc)
customer choice between
ø 5 - 7 - 8 - 10 - 12 - 14 - 16 mm



Duct gaskets (10 pcs)
according to duct adapter



Cable entry guide set
(1 pc)



Cable adapter set (1 pc)
customer choice between
ø 1÷2 - 2÷3 - 3÷4 - 4÷5 - 5÷6 - 6÷9 - 9÷10 mm



Cable gaskets
(5 pcs each)
according to cable adapter



Linear gasket 0,5 m
(1 pc)



Duct cutter
(1 pc)



Hex wrenches set (1 pc)
ø 3 - 8 mm



Usb cable
(1 pc)




Air hose 10m / 16 bar
with quick coupling
connector (1 pc)



Rugged waterproof case
(1 pc)



Lubricant
1L bottle
(1 pc)



Via degli Olmetti, 18 - 00060 Formello (RM) - Rome, ITALY
Ph. (+39) 06.90.40.50.39 E-mail: info@fibernet.it